

Appl. No. 10/732,932
Amdt. Dated July 8, 2005

Amendments to the Drawings:

The attached sheets of drawings include changes to FIGS. 2 and 3. These sheets, which include FIGS. 2-4 replace the original sheets. In FIG. 2, reference numeral 225 has been added to denote the flow splitter, as suggested by the Examiner in the communication attached to the above-referenced Notice of Allowance. In FIG. 3, the term "ACORE" is changed to "ABORE" consistent with the Examiner's Amendment.

Appl. No. 10/732,932
Amdt. Dated July 8, 2005

REMARKS

This is an Amendment After Allowance that is being filed with payment of the Issue Fee to change matters of form in the above-identified application. No changes are made which affect the scope of the allowed claims. Specifically, the specification has been amended herein to correct minor grammatical errors, and the drawings have been corrected per the Examiner's Amendment that accompanied the Notice of Allowance.

Accordingly, entry of this Rule 312 amendment is warranted.

If for some reason Applicants have not requested a sufficient extension and/or have not paid a sufficient fee for this response and/or for the extension necessary to prevent abandonment on this application, please consider this as a request for an extension for the required time period and/or authorization to charge Deposit Account No. 50-2091 for any fee which may be due.

Respectfully submitted,

Dated: 7/8/05

By: 

Paul D. Amrozowicz
Reg. No. 45,264
(480) 385-5060